







A note from the President...



After more than 121 years in business, Eagle
Manufacturing Company continues the tradition of
providing innovative quality products and services to
our customers. Although times are much different today
than they were when the company started in 1894, our
early mission of Protecting People, Property and the
Planet has served our customers well through the years.
In support of this mission, and to keep our customers
as priority one, I would like to share some of our recent
upgrades, innovations and expansions.

We have updated the Eagle brand to better reflect the quality, breadth and depth of products and services we provide to our customers. We have updated many of our marketing materials to feature the new Eagle brand. Congratulations to our Marketing and Sales team for winning several marketing and advertising awards for creativity and design for these new materials.

We also support our mission by manufacturing the world's largest line of industrial safety and hazardous material handling products.

New product innovation requires expanded production capacity, and expanded capacity requires new manufacturing, warehousing and distribution space. In the past year, we have expanded our plastics production capacity by 35 percent, our distribution center to nearly 100,000 square feet and added a 50,000 square-foot fabrication center with an engineering testing lab.

All of our products are made in the USA by the best craftsmen in the industry. When you purchase an Eagle product, you are assured the highest quality products, with the most innovative features, at the best value on the market, and supported by exceptional customer service.

I would like to thank all of our customers for your continued loyalty, support and trust as we work together in the mission of Protecting People, Property and the Planet.

Joseph C. Eddy - President/CEO



"Our Quality Policy is to Excel in Manufacturing and Marketing and to be the Supplier of Choice to our Customers."

MATERIAL HANDLING

- 3 Material Handling
- 4 Guards & Protectors
- 8 Traffic Safety Products
- 10 Poly Dockplates & Ramps

POLY DRUMS

- 12 Polv Drums
- 14 14 Gallon Drums
- 15 20 Gallon Drums17 30 Gallon Drums
- 18 55 Gallon Drums

©EAGLE MANUFACTURING COMPANY, August 2015 Eagle Manufacturing Company reserves the right to change construction, specifications, prices and terms without notice, and without obligation as to products already shipped.

Your Eagle Sales Team — We're here to help!

With over 200 years of combined Eagle experience.

Back Row: Kelly, Ingrid, Steve, John Mitchell (Vice President & Sales Manager), Mark, Matt, Jessica & Misty
Front Row: Cheryl, Lois, Tracy, Joyce & Cindy





Multiple products for Material Handling and Facility Protection:

- HDPE Bollard Post Sleeves
- Bollard Posts & Machine Guards
- Wall & Corner Protectors
- Protective Parking Stops
- Poly Guide-Post Delineators
- Safety Clearance Bars
- Decorative Post Sleeves
- Portable & Fixed Dockplates
- Column Protectors
- Lightweight Poly Curb Ramp
- Lightweight Shipping Container Ramp





GUARDS & PROTECTORS


Bollard Posts and Machine Guards

Bollard Posts add protection to your facility and prevent damage. Posts feature a durable baked-on powder coat in safety yellow to provide high visibility. Each post is made up thick steel mounted on steel plates, and pre-drilled for easy installation. (1/4" steel for Schedule 40, or 1/8" steel for Schedule 10) The black HDPE post caps are included and can be removed to fill posts with concrete for extra protection.

Machine Guards

Our machine guards provide superior protection for facilities and equipment by creating barriers between traffic areas and your valuable machinery.

		Bollard Po	osts - Sch	edule 40 and 9	Schedule 10	
Model		Description	Schedule	Dimensions	Plate Size	Weight
1742	4"	Round Bollard Post	40	24" h x 4.5"	8" x 8" x 3/8"	35 lbs.
1742-10	4"	Round Bollard	10	24" h x 4.5"	8" x 8" x 3/8"	22 lbs.
1743	4"	Round Bollard Post	40	36" h x 4.5"	8" x 8" x 3/8"	45 lbs.
1743-10	4"	Round Bollard	10	36" h x 4.5"	8" x 8" x 3/8"	28 lbs.
1744	4"	Round Bollard Post	40	42" h x 4.5"	8" x 8" x 3/8"	50 lbs.
1744-10	4"	Round Bollard	10	42" h x 4.5"	8" x 8" x 3/8"	30 lbs.
1749	4"	Round Post Cap	40	5" dia.	NA	2 lbs.
1755	5"	Round Bollard Post	40	24" h x 5.6"	10" x 10" x 3/8"	45 lbs.
1756	5"	Round Bollard Post	40	36" h x 5.6"	10" x 10" x 3/8"	60 lbs.
1757	5"	Round Bollard Post	40	42" h x 5.6"	10" x 10" x 3/8"	67 lbs.
1758	5"	Round Post Cap	40	5.85" dia.	NA	2 lbs.
1752	5"	Square Bollard Post	40	24" h x 5"	10" x 10" x 3/8"	35 lbs.
1753	5"	Square Bollard Post	40	36" h x 5"	10" x 10" x 3/8"	47 lbs.
1754	5"	Square Bollard Post	40	42" h x 5"	10" x 10" x 3/8"	53 lbs.
1759	5"	Square Post Cap	40	5.25" sq.	NA	2 lbs.
1763	6"	Round Bollard Post	40	36" h x 6.625"	10" x 10" x 3/8"	65 lbs.
1763-10	6"	Round Bollard	10	36" h x 6.625"	10" x 10" x 3/8"	40 lbs.
1764	6"	Round Bollard Post	40	42" h x 6.625"	10" x 10" x 3/8"	72 lbs.
1764-10	6"	Round Bollard	10	42" h x 6.625"	10" x 10" x 3/8"	44 lbs.
1769	6"	Round Post Cap	40	7" dia.	NA	2 lbs.



	Machine Guards									
Model		Item	Dimensions	Plate Size	Weight					
1765	4"	Low Profile Rack Guard	12" h x 36" w	8" x 8" x 3/8"	52 lbs.					
1745	4"	Low Profile Rack Guard	12" h x 48" w	8" x 8" x 3/8"	62 lbs.					
1772	4"	Rack Guard	16" h x 36" w	8" x 8" x 3/8"	72 lbs.					
1773	4"	Rack Guard	16" h x 48" w	8" x 8" x 3/8"	82 lbs.					
1746	4"	Machine Guard (Low)	24" h x 36" w	8" x 8" x 3/8"	82 lbs.					
1770	4"	Machine Guard (Low)	24" h x 48" w	8" x 8" x 3/8"	92 lbs.					
1774	4"	Machine Guard	36" h x 36" w	8" x 8" x 3/8"	100 lbs.					
1775	4"	Machine Guard	36" h x 48" w	8" x 8" x 3/8"	110 lbs.					
1771	4"	Machine Guard (High)	42" h x 36" w	8" x 8" x 3/8"	110 lbs.					
1747	4"	Machine Guard (High)	42" h x 48" w	8" x 8" x 3/8"	112 lbs.					

Wall Protectors and Corner Protectors

Wall Protectors

Our wall protectors help prevent damage to walls in areas with forklift, hand truck or drum traffic. These guards are made of high-visibility yellow, high-density polyethylene; never need painting; and resist cracking and chipping. Can be mounted end to end, and feature unique energy absorbing construction. (Set of two) (Anchors not included)

Corner Protectors

HDPE Corner Protectors deflect the impact, helping to protect plant areas prone to damage by fork truck, hand truck or personnel traffic. Provide easy installation with bolts or optional straps (not provided). Two sizes to meet most needs sold in sets of two, inside measurement 4" x 8" and outside measurement 6" x 10".

Model 1726 6" Wall Protector 6" x 42" x 2" (each) (Sold as set of two) (Anchors not included)



	0
	-
1.00	
	-
1	
	C TOTAL CONTRACTOR

Wall Protectors							
Model	Item	Dimensions	Weight per set				
1726	6" Wall Protector (set of two)	6" w x 42" l x 2" d each	8 lbs.				
1728	10" Wall Protector (set of two)	10" w x 42" l x 2" d each	14 lbs.				

Corner Protectors							
Model	Item	Dimensions	Weight per set				
1720	21" Corner Protector (set of two)	21" h x 6" l x 10" \	v 10 lbs.				
1725	42" Corner Protector (set of two)	42" h x 6" l x 10" \	v 20 lbs.				

Model 1725 42" Corner Protector 42" x 6" x 10" (each) (Sold as set of two) IM 4" x 8" - 0M 6" x 10"




100% Recyclable

Column Protectors

Affordable protection for warehouse and factory columns, posts and beams. Absorbs impact from tow motors, minimizing column, fork truck, and personnel damage and injury. These blow-molded 100 percent high-density polyethylene protectors are resistant to most chemicals and feature key-lock to prevent slippage and assist with installation alignment. Available to fit 4", 6", 8", 10" and 12" round or square supports. No tools required. Two halves attach with easy-to-install straps. Protectors come in yellow with black straps, and orange or lime green with high-visibility reflective straps. (Tested with fork truck: 8,500 lbs. at 5 mph. Replace if damaged.)



The 1709 model was designed to fit 9" round columns and is available in yellow with black straps, and orange or lime green with high-visiblilty reflective straps.




4-6" Column

100% Recyclable

Model 1724-12 RED 12" Column Protector / 24" x 24" x 24"

Model 1712 Model 1710 12" Column 10" Column





Model 1706

6" Column

Rack Guard

The NEW Eagle Rack Guard is designed to help prevent rack and shelving damage from forklifts and pallet trucks. With a guick and easy snap on design, these models require no tools to install and can be stacked for a desired height to comply with the international standard of 16". The rack guard's narrow profile minimizes interference with valuable storage space.



	Rack Guard						
Model	Dimentions	Fits Racking	Weight				
1702	6" x 5" x 8"	1.5" x 3"	2 lbs.				
1703	6" x 5" x 8"	3" x 3"	2 lbs.				

Mini Column Protectors

Eagle's 'Mini' Column Protectors (Model 1724) are perfect for affordable warehouse and factory protection under fire extinguishers, and absorb impact from tow motors, minimizing column and fork truck damage. These blow-molded, 100 percent high-density polyethylene protectors

feature key-locks to prevent slippage and assist installation alignment. Two halves attach with easy-to-use straps with no tools required.

These models are designed to fit 6", 8" 10" and 12" round or square supports and are available in yellow or red. (Replace if damaged)

Replacement Velcro Straps					
Model Item					
1701	92" Nylon Replacement Strap				
1701-Refl	92" Reflective Nylon Replacement Strap				



Model 1724-10

	Yellow Column Protectors		
Model	Item	Dimensions	Weight
1704	Column Protector for 4-6" Column	13" x 13" x 42"	16 lbs.
1706	Column Protector for 6" Column	24" x 24" x 42"	40 lbs.
1708	Column Protector for 8" Column	24" x 24" x 42"	40 lbs.
1709	Column Protector for 9" Column	24" x 24" x 42"	40 lbs.
1710	Column Protector for 10" Column	24" x 24" x 42"	40 lbs.
1712	Column Protector for 12" Column	24" x 24" x 42"	40 lbs.

	Hi-Vis Column Protectors		
Model	Item	Dimensions	Weight
1706LM	Column Protector for 6" Column-Lime w/Reflective	24" x 24" x 42"	40 lbs.
17060R	Column Protector for 6" Column-Orange w/Reflective	24" x 24" x 42"	40 lbs.
1708LM	Column Protector for 8" Column-Lime w/Reflective	24" x 24" x 42"	40 lbs.
17080R	Column Protector for 8" Column-Orange w/Reflective	24" x 24" x 42"	40 lbs.
1709LM	Column Protector for 9" Column-Lime w/Reflective	24" x 24" x 42"	40 lbs.
17090R	Column Protector for 9" Column-Orange w/Reflective	24" x 24" x 42"	40 lbs.
1710LM	Column Protector for 10" Column-Lime w/Reflective	24" x 24" x 42"	40 lbs.
17100R	Column Protector for 10" Column-Orange w/Reflective	24" x 24" x 42"	40 lbs.
1712LM	Column Protector for 12" Column-Lime w/Reflective	24" x 24" x 42"	40 lbs.
17120R	Column Protector for 12" Column-Orange w/Reflective	24" x 24" x 42"	40 lbs.

Mini Column Protectors						
Model	Item	Dimensions	Weight			
1724-6	Column Protector for 6" Column, Yellow	24" x 24" x 24"	30 lbs.			
1724-6 RED	Column Protector for 6" Column, Red	24" x 24" x 24"	30 lbs.			
1724-8	Column Protector for 8" Column, Yellow	24" x 24" x 24"	30 lbs.			
1724-8 RED	Column Protector for 8" Column, Red	24" x 24" x 24"	30 lbs.			
1724-10	Column Protector for 10" Column, Yellow	24" x 24" x 24"	30 lbs.			
1724-10 RED	Column Protector for 10" Column, Red	24" x 24" x 24"	30 lbs.			
1724-12	Column Protector for 12" Column, Yellow	24" x 24" x 24"	30 lbs.			
1724-12 RFD	Column Protector for 12" Column, Red	74" x 74" x 74"	30 lbs.			






GUARDS & PROTECTORS

Eagle offers the widest selection of HDPE Bollard Post Sleeves available

Eagle's HDPE Bollard Post Sleeves make old bollards look like new. High Density Polyethylene (HDPE) construction with UV inhibitors resist fading, rusting and cracking. The post sleeves are designed to easily fit over 4", 6" and 8" NPT pipe and eliminate the need for annual maintenance, while helping to protect vehicles and the post from impact damage. The unique design allows for easy slide-on installation.

Benefits of all Eagle HDPE Post Sleeves:

- Improves property appearance at minimal cost
- Saves on annual painting and scraping of old bollards
- Slides over existing posts for easy installation
- High-quality, all-weather HDPE will not rust or dent
- Fade resistant with UV inhibitors
- Colors to match many exteriors
- Sleeve height may be easily trimmed for an exact fit
- HDPE thickness





Original HDPE Bumper Post Sleeves

The Original HDPE Bumper Post Sleeves have a vertical fluted design to provide extra protection and easier installation. They come 56" in length (to fit 4", 6" and 8" pipe) and are available in yellow, red, blue, white, green, orange, lime, brown and black. The 72" length Bumper Post Sleeves (to fit 6" and 8" pipe) are available in yellow only. Sleeve height may be easily trimmed for an exact fit.



Model 1730BR 6" (Brown) **Bollard Post Sleeve**




Poly Base

Poly bases available for 4" and 6" post sleeves to convert into poly bollard.

	Bumper Post Sleeves												
Size	I.D.	0.D.	Height	Red	White	Yellow	Green	Orange	Lime	Brown	Black	Blue	Weight
4"	4.75"	5.75"	56"	1732R	1732W	1732	1732GN	17320R	1732LM	1732BR	1732BLK	1732BL	5 lbs.
6"	6.875"	7.875"	56"	1730R	1730W	1730	1730GN	17300R	1730LM	1730BR	1730BLK	1730BL	8 lbs.
8"	8.875"	10.00"	57"	1738R	1738W	1738	1738GN	17380R	1738LM	1738BR	1738BLK	1738BL	9 lbs.
6"	6.875"	7.875"	72"	-	-	1730-72	-	-	-	-	-	-	11 lbs.
8"	8.875"	10.00"	72"	-	-	1738-72	-	-	-	-	-	-	15 lbs.





HDPE Smooth Bollard Post Sleeves

Eagle's Smooth Bollard Post Sleeves are available to fit over 4", 6" and 8" pipe and are available in red, yellow, blue and white (available in other colors for quantity orders). The smooth sleeves are 56" in length and provide the same maintenance-free protection as the original bumper post sleeves. Sleeve height may be easily trimmed for an exact fit.

Smooth Post Sleeves											
Size	I.D.	0.D.	Height	Red	Yellow	Blue	White	Weight			
4"	4.75"	5.25"	56"	1735R	1735	1735BL	1735W	4 lbs.			
6"	6.875"	7.375"	56"	1736R	1736	1736BL	1736W	6 lbs.			
8"	8.875"	9.375"	57"	1737R	1737	-	-	8 lbs.			



Model 1736 - 6" Smooth Post Sleeve 6.875 l.D." x 56"



HDPE Smooth Bollard Post Sleeves with Reflective Stripes

New to the Eagle Bollard Post Sleeve family are the HDPE Smooth Bollard Post Sleeves with reflective stripes. Keep your facility safe and protected with sleeves to fit over 4", 6" and 8" pipe in HDPE yellow with two red stripes, or red with two white stripes. Sleeve height may be easily trimmed for an exact fit.

ı	Smooth Post Sleeves with Reflective Stripes									
п	Size	I.D.	0.D.	Height	Red	Yellow	Weight			
	4"	4.75"	5.25"	56"	1735RWS	1735YRS	4 lbs.			
	6"	6.875"	7.375"	56"	1736RWS	1736YRS	6 lbs.			
	8"	8.875"	9.375"	57"	1737RWS	1737YRS	8 lbs.			

ArmorKraft[™] Decorative Post Sleeves

Beautiful HDPE post sleeves slip over 4" x 4" wooden or steel posts or can be used free standing with optional rubber base. Available in three styles. Includes 6' of poly chain.



available in white for use as 150-yd.

ArmorKraft™ Decorative Post Sleeve 12.5" base dia. x 37" h 1714BLK/1714WHT Golf Tradition 12.5" base dia. x 37" h Hitching Post 12.5" base dia. x 43" h 10 lbs. 1715BLK 1719BLK/1719WHT Replacement Chain Kit 6' lona 1718BASE Rubber Base Kit 12" dia. x 4" h

Eagle e-CART **Features:** Industrial Waste Cart

Constructed of durable HDPE

Ergonomically designed handles

- HDPE wheels on a heavy duty steel axle
- Double-walled hinged lid with a hold-down tab
- Rugged galvanized steel bar handles
- Wear tabs on the bottom

Eagle e-CART Wheeled Industrial Waste Container											
Model	Description	Capacity	Color	Weight							
1696BLK 1696GN 1697BLK 1697GN	Eagle e-CART Wheeled Industrial Waste Container Eagle e-CART Wheeled Industrial Waste Container Eagle e-CART Wheeled Industrial Waste Container Eagle e-CART Wheeled Industrial Waste Container	65 gal. 95 gal.	Green Black	32 lbs. 32 lbs. 38 lbs. 38 lbs.							







TRAFFIC SAFETY PRODUCTS

Protective Parking Stops & Speed Bump-Cable Protectors

Eagle Parking Stops, designed with safety and durability in mind, eliminate the need for seasonal painting. Flexible enough to fit parking lot contours - the rugged HDPE Stops are weather and chemical resistant. Eagle offers four colors - the high-visibility yellow, blue for handicapped areas, gray and black. Anchor kit with three spikes and tube of asphalt adhesive included.

Eagle Speed Bump-Cable Protectors add safety to your facility. The high-visibility yellow bumps are engineered at the perfect angle. They also act as a dual channel cable protector, feature a non-skid surface, and are weather and chemical resistant. HDPE construction means you eliminate the need to continually paint bumps. The 6' anchor kit includes six spikes and a tube of asphalt adhesive. The 9' anchor kit includes eight spikes and a tube of asphalt adhesive.

Protective Parking Stops								
Model	Description	Dimensions	Weight					
1790Y	Parking Stop-Yellow	8" w x 4" h x 72" l	15 lbs.					
1790B	Parking Stop-Blue	8" w x 4" h x 72" l	15 lbs.					
1790G	Parking Stop-Gray	8" w x 4" h x 72" l	15 lbs.					
1790BLK	Parking Stop-Black	8" w x 4" h x 72" l	15 lbs.					
1790G	Parking Stop-Gray	8" w x 4" h x 72" l	15 lbs.					


	Speed Bump-Cable Protectors								
ı	Model	Description	Dimensions	Weight	Load*				
	1792	6' Speed Bump-Cable Guard	10" w x 72" l x 2" h	20 lbs.	20,000 lbs.				
	1702	O' Croad Pump Cable Cuard	10" wy 100" Ly 2" h	2E Ibo	20 000 lbo				



Model 1790Y Parking Stop - Yellow / 8"w x 4"h x 72"l



Model 1792 6' Speed Bump -**Inside Channel Dimensions:**



*Load Tested to 20,000 lbs. per Pneumatic Tire Model 1793 9' Speed Bump - Cable Guard Kit / 10"w x 2"h x 108"l - Two 4.5' Sections

*Pre-drill concrete for installation

Poly Guide-Post Delineators™ & Poly Bollard Post

Poly Guide-Post Delineators™

Lightweight, portable, yieldable HDPE posts used to warn, guide and delineate. Feature 3"-wide reflective bands for increased visibility and are MUTCD compliant. Posts are mounted on a 10" sq. poly plate with anchor slots (3/4") for permanent use or used with steel base for portable stability.

Poly Bollard Posts

Create a low-cost, maintenance-free caution zone. These 42"-high poly bollards are available in a 5" or 7" model with a poly base with anchor slots (3/4") that can be anchored for maximum stability or used with optional weighted steel base.



Poly Guide-Post Delineators

7" Poly Bollard

Steel Weighted Base for 1731, 1733 & 1734

5" w x 42" h


7" w x 42" h

10" w x 10" l x 3.75" h 12 lbs.

Poly Guide-Post Delineators								
Model	Description	Dimensions	Weight					
1734Y	Poly Guide-Post Delineator-Yellow	5.75" w x 42" h	6 lbs.					
1734LM	Poly Guide-Post Delineator-Lime	5.75" w x 42" h	6 lbs.					
17340R	Poly Guide-Post Delineator-Orange	5.75" w x 42" h	6 lbs.					
Poly Bollard Post								
Model	Description	Dimensions	Weiaht					

All-in-one Steel Bollard Post & Poly Post Sleeve Combos!

These combos bring you the security of our ¼" thick steel Bollards, packaged with the protection and zero maintenance of our smooth Poly Post Sleeves. The combos are available in round 4" and 6" bollard/sleeves 36" high and 42" high. Each combo includes a foam installation kit for a perfect fit! Kit may be ordered separately.





Bollard Post & Sleeve Combos										
Model	Description	Dimensions	Sleeve Dim.	Item	Weigh [*]					
1743PS	4" Bollard w/Sleeve	36" h x 4.5" dia.	5" dia. x 36" h		50 lbs.					
1744PS	4" Bollard w/Sleeve	42" h x 4.5" dia.	5" dia. x 42" h		55 lbs.					
1763PS	6" Bollard w/Sleeve	36" h x 6.625" dia.	7" dia. x 36" h		70 lbs.					
1764PS	6" Bollard w/Sleeve	42" h x 6.625" dia.	7" dia. x 42" h		77 lbs.					
1739KIT	Installation Kit for Post	Sleeves								



Model No. 1781 7" diameter



Safety Clearance Bars

Eagle introduces two safety clearance bars for use in drive-thrus, parking garages and much more. Clearance Bars provide an early warning for motorists, reducing structural and vehicle damage. This is even more necessary as SUVs and pickups have grown in size. The Clearance Bars are constructed of high-visibility yellow polyethylene and are available in 72" lengths in either 5" or 7" outside diameter. Both come with eyebolts for easy installation (chain not included).

Clearance Bars							
Model	Description	Dimensions	Weight				
1780	5" Clearance Bar	5" dia. x 76" l	7 lbs.				
1781	7" Clearance Bar	7" dia. x 77" l	9 lbs.				

100% Recyclable




Model 1781 Clearance Bar / 7"dia. x 77"l





POLY DOCKPLATES & RAMPS



Portable Poly Dockplate 48"

48" x 36" x 5"

40 lbs.

750 lbs.

4" Height Differential

Eagle Airplane Service Ramp

Two integrated handles for easy handling



Rubber beveled entry and exit edges

22" Width



Eagle's new Airplane Service Ramp is constructed of durable, lightweight, high-density polyethylene (HDPE) for use in transferring service carts from the service vehicle into the aircraft. This ramp features a lightweight (28 lbs.) ergonomic design with a raised textured surface, beveled entry and exit edges, high-visibility yellow HDPE, full-length guardrails with integrated handles for easy handling and a 1,000-lb. load capacity (UDL). 100 percent made in the USA.

	Airplane Service Ramp – Ye						
Model	Description	Weight	Dimer				
1701V	Airelana Canica Dama	V 20 lbs					

Max Load

Model

Name

Numbers

Dimension W x L x H

Height Diff.

Weight

For use with hand trucks or wheeled carts

> Provides an ergonomically correct method to move heavy loads over curbs or up steps

Poly Curb Ramp

27" x 27" x 4"

9 lbs.

1.000 lbs.

8" Height Differential

- Raised surface for excellent traction in all weather conditions
- 1" side rails
- Constructed of yellow HDPE
- Lightweight (9 lbs.) with two for easy pickup, carrying and handling
- Cabinets as cabinet ramp

For Models 1795 & 1797

- For use with two- and four-wheeled dollies, hand trucks and carts
- Lightweight, ergonomic design is easy to use
- Raised surface for excellent traction in all weather conditions
- Beveled entry and exit edges

Portable Poly Dockplate 35"

35" x 36" x 5"

37 lbs.

750 lbs.

4" Height Differential

- Aluminum legs for durability and strength
- Constructed of yellow HDPE
- Two integrated handles for easy handling
- Available in 35" and 48" widths

Compliance: Meets OSHA 1910.30(a)



- Lift-n-lower ergonomic design helps reduce injuries
- Features molded-in, raised surface and integrated side rails

Fixed Poly Dockplate


35" x 26" x 5"

20 lbs.

1.000 lbs.

4" Height Differential

- Coated steel installation kit installs easily on metal or concrete dock facings
- 6' slide bar for easy truck centering or out-of-the-way storage



1796KIT Fixed Poly Dockplate Installation Kit (Sold separately)

 For use with hand trucks and dollies for loading and unloading

Shipping Container Ramp

35" x 36" x 6"

25 lbs.

750 lbs.

10" Height Differential

 Features a hook rail that attaches to the doorkeepers for secure, three-point contact and support across the width of the ramp, as well as a tab that inserts into the keepers to help prevent lateral movement of the ramp during use



handles with rounded edges

Ramp also used with Eagle Safety -

10 sales@eagle-mfg.com









storage needs for customers by offering Lab Packs and Open-Head Drums, for example. The 14-, 20-, 30- and 55-gallon Lab a choice of metal or plastic lever locking rings. All models are (HDPE) with UV inhibitors, are durable and lightweight and available in yellow, blue and black. All of our products are 100 percent made in the USA.

All Drums feature:

- Blow-molded HDPE construction
- Chemical & weather resistant
- HDPE incinerates completely
- United Nations (UN) Certified to HM-181
- Operating temperature range (-30° F to 130° F)
- Drop tested max weight @ 0° F (48 hrs.)
- Approved for use with Packing Groups I, II and III
- UV Protection Package
- UL 94HB Flammability Rating
- Nestable for ideal storage (except model 1656)
- FDA 21 CFR 177.1520 Food Grade Quality

Eagle drums are ideal for:

- Safe storage, handling and transportation of hazardous materials
- Spill containment and cleanup of hazardous materials
- Spill kit containers
- Original shipping containers
- Biowaste disposal and incineration

• Stack tested – three high at maximum weight capacity (24 hrs.)





14 GALLON DRUMS
20 GALLON DRUMS

NEW! NATURAL COLORS Available for All Banded Drums





















Model Numbers	1610	1610BLK	1610M	1610MB	1610MBLK	1652	1654	1623	1623BLK	1623M
Style	Lab Pack Open Head Drum	Lab Pack	Salvage Drum	Lab Pack Open Head Drum	Lab Pack Open Head Drum	Lab Pack Open Head Drum				
Closure Type	Plastic	Plastic	Metal	Metal	Metal	Plastic	Metal	Plastic	Plastic	Metal
	Lever-Lock	Lever-Lock	Lever-Lock	Lever-Lock	Lever-Lock	Lever-Lock	Lever-Lock	Lever-Lock	Lever-Lock	Lever-Lock
Inside Top: Dimensions Height:	13½"	13½"	13½"	13½"	13½"	19"	19"	15%"	15%"	15%"
	12¾"	12¾"	12¾"	12¾"	12¾"	16⅓"	16‰"	12%"	12%"	12%"
	25"	25"	25"	25"	25"	19"	19"	29%"	29%"	29%"
Outside Bottom: Dimensions Height:	15"	15"	15"	15"	15"	20½"	20%"	15¾"	15¾"	15¾"
	12¾"	12¾"	12¾"	12¾"	12¾"	16¹½6"	161¼"	13¼"	13¼"	13¼"
	26½"	26½"	26½"	26½"	26½"	20½6"	20¼6"	30½"	30½"	30½"
Maximum	143 lbs.	143 lbs.	220 lbs.	220 lbs.	220 lbs.	88 lbs.	165 lbs.	220 lbs.	220 lbs.	220 lbs.
Capacity	65 kg.	65 kg.	100 kg.	100 kg.	100 kg.	40 kg.	75 kg.	100 kg.	100 kg.	100 kg.
Total	14 gal.	20 gal.	20 gal.	20 gal.	20 gal.	20 gal.				
Capacity	52.2 l.	77 l.	77 l.	77 l.	77 l.	77 l.				
Maximum Container Size (If used as an overpack drum)	5 gal.	5 gal.	5 gal.	5 gal.	5 gal.	5 gal.				
Weight	9 lbs.	9 lbs.	10 lbs.	10 lbs.	10 lbs.	15 lbs.	16 lbs.	10.25 lbs.	10.25 lbs.	11.5 lbs.
	3.6 kg.	3.6 kg.	4.1 kg.	4.1 kg.	4.1 kg.	5.85 kg.	6.75 kg.	4.65 kg.	4.65 kg.	5.2 kg.
Pallet Quantity	54	54	54	54	54	40	40	42	42	42
Truckload Quantity	1,188	1,188	1,188	1,188	1,188	1,000	1,000	864	864	864
UN/DOT Rating	1H2/X65/S 1H2/Y100/S	1H2/X65/S 1H2/Y100/S	1H2/X65/S 1H2/Y100/S	1H2/X65/S 1H2/Y100/S	1H2/X65/S 1H2/Y100/S	1H2/X40/S	1H2/X75/S	1H2/X75/S 1H2/Y100/S	1H2/X75/S 1H2/Y100/S	1H2/X75/S 1H2/Y100/S



Lab Packs/Open Head - for use with smaller non-damaged bottles, cans, carboys and 5-gallon pails of non-leaking hazardous materials - if leaking, must pack with sufficient sorbents for — NO FREE LIQUIDS.

Regulatory Compliance: Lab Packs/Open Head: DOT 49 CFR 173.12 1- Type of Container (drum), H-material of construction (plastic), 2- Removable head/X-Testing performance (X=Groups I, II, & III), 340-Max. Wt. of Container (Kg)S-solids/96/Year of Manufacture, USA-State Authorization Mark/M - certification compliance, 4900, Testing Agency number.







20 GALLON DRUMS 30 GALLON DRUMS 55 GALLON DRUMS BUNG LID / BOLT RING OPTIONS Available for 30 Gallon Eagle Models NEW! NATURAL COLORS Available for All Banded Drums HDPE 100% Recyclable **Model Numbers** 1623MB 1623MBLK 1601 1601BLK 1601M 1601MB **1601MBLK** 1602 1655 1655BLK Lab Pack Salvage Style **Open Head Drum Open Head Drum** Metal Metal Plastic Lever-Lock Metal **Plastic Plastic Plastic** Metal Metal Metal **Closure Type** Lever-Lock Lever-Lock Lever-Lock Lever-Lock Lever-Lock Lever-Lock Lever-Lock Lever-Lock Lever-Lock 15%" 19" 19" 19" 19" 19" 19" 221/8" 221/8" 15%" Inside 12%" 121/8" 161/4" 19" 19" 161/4" 161/4" 161/4" 161/4" 161/4" **Dimensions** 29%" 29%" 26%" 26%" 26%" 26%" 26%" 26%" 389/16" 389/16" 15¾" 23¾" 15¾" 211//3" 211//3" 211//3" 211//3" 211//3" 211/8" 23¾" Outside 13¼" 30½" 131/4" 16%" 16%" 16%" 16%" 16%" 16%" 19%" 19%" **Dimensions** 30½" 28½" 28½" 28½" 28½" 28½" 281/2" 391/3" 391/3" Maximum 220 lbs. 220 lbs. 220 lbs. 220 lbs. 396 lbs. 396 lbs. 220 lbs. 396 lbs. 396 lbs. 220 lbs. 100 kg. 180 kg. 180 kg. 100 kg. 100 kg. 100 kg. 100 kg. 180 kg. 180 kg. 100 kg. Capacity

30 gal.

114 I.

16 gal.

18 lbs.

7.2 kg.

40

1,000

1H2/X120/S

1H2/Y180/S

Total Capacity
Maximum

Pallet Quantity

UN/DOT Rating

<u>_</u>SPCC

Truckload

Quantity



20 gal.

77 I.

42

864

1H2/X75/S

1H2/Y100/S



HDPE is a very high molecular weight material, designed for an optimum balance of density, molecular weight and molecular weight distribution, demonstrating maximum property advantages for large products that require high impact resistance. Some of these advantages include:

20 gal.

77 I.

42

864

1H2/X75/S

1H2/Y100/S

30 gal 114 l.

16 gal.

16 lbs.

6.3 kg.

40

1,000

1H2/X100/S

1H2/Y100/S

• Environmental stress crack resistance (ESCR)

30 gal. 114 l.

16 gal.

18 lbs.

7.2 kg.

40

1,000

1H2/X100/S

1H2/Y100/S

- Impact strength even at a low temperature
- Flexural modulus durability and resilience
- Chemical resistance to wide range of chemicals
- Abrasion resistance prevents gouging and scuffing
- Ultraviolet (UV) protection superior blending process

Lid Styles:

30 gal. 114 l.

16 gal.

18 lbs.

7.2 kg.

40

1,000

1H2/X120/S

1H2/Y180/S

- Lids feature closed cell foam or silicone gaskets
- Lid closure instructions included in each drum
- Salvage Drums pass 3-PSI pressure test



30 gal.

114 I.

16 gal.

18 lbs.

7.2 kg.

40

1,000

1H2/X120/S

1H2/Y180/S



30 gal.

114 I.

16 gal.

18 lbs.

7.2 kg.

40

1,000

1H2/X120/S

1H2/Y180/S



55 gal. 212 l.

30 gal.

23.5 lbs.

10.7 kg.

36

864

1H2/X100/S

1H2/Y100/S



55 gal. 212 l.

30 gal.

23.5 lbs.

10.7 kg.

32

864

1H2/X100/S

1H2/Y100/S







55 GALLON DRUMS

BUNG LID / BOLT RING OPTIONS Available for 55 Gallon Eagle Models

NEW! NATURAL COLORS Available for All Banded Drums



















Model Numbers	1655 M	1655MB	1655MBLK	1655MN	1656	1656BLK	1656M	1656MB	1656MBLK
Style	Lab Pack Open Head Drum	Lab Pack Salvage Drum	Lab Pack	Lab Pack					
Closure Type	Metal	Metal	Metal	Metal	Plastic	Plastic	Metal	Metal	Metal
	Lever-Lock	Lever-Lock	Lever-Lock	Lever-Lock	Lever-Lock	Lever-Lock	Lever-Lock	Lever-Lock	Lever-Lock
Inside Top: Dimensions Height:	22%"	22%"	22%"	22½"	201/16"	20½"	201/16"	201/6"	201/6"
	19"	19"	19"	19"	221/8"	22½"	221/1"	221/4"	221/6"
	38%"	38%"	38%"	38‰"	3513/16"	35½"	351 ³ /16"	351 ³ /6"	35 ¹³ / ₁₆ "
Outside Top: Dimensions Height:	23¾"	23¾"	23¾"	23¾"	21"	21"	21"	21"	21"
	19%"	19%"	19¾"	19¾"	22½"	22½"	22½"	22½"	22½"
	39%"	39%"	39¼"	39¼"	36%"	36%"	36¾"	36¾"	36¾"
Maximum	551 lbs.	551 lbs.	551 lbs.	551 lbs.	220 lbs.	220 lbs.	551 lbs.	551 lbs.	551 lbs.
Capacity	250 kg.	250 kg.	250 kg.	250 kg.	100 kg.	100 kg.	250 kg.	250 kg.	250 kg.
Total	55 gal.	55 gal.	55 gal.	55 gal.					
Capacity	212 l.	212 l.	212 l.	212 l.	217 l.	217 l.	217 l.	217 l.	217 l.
Maximum Container Size (If used as an overpack drum)	30 gal.	30 gal.	30 gal.	30 gal.					
Weight	23.5 lbs.	23.5 lbs.	23.5 lbs.	23.5 lbs.					
	10.7 kg.	10.7 kg.	10.7 kg.	10.7 kg.					
Pallet Quantity	36	36	36	36	8	8	8	8	8
Truckload Quantity	864	864	864	864	336	336	336	336	336
UN/DOT Rating	1H2/X200/S	1H2/X200/S	1H2/X200/S	1H2/X200/S	1H2/X100/S	1H2/X100/S	1H2/X200/S	1H2/X200/S	1H2/X200/S
	1H2/Y250/S	1H2/Y250/S	1H2/Y250/S	1H2/Y250/S	1H2/Y100/S	1H2/Y100/S	1H2/Y250/S	1H2/Y250/S	1H2/Y250/S

Did you know?
Eagle HDPE poly drums with screw tops or plastic lever-lock lid closures can be incinerated completely.

Lab Packs/Open Head - for use with smaller non-damaged bottles, cans, carboys and 5-gallon pails of non-leaking hazardous materials - if leaking, must pack with sufficient sorbents for — NO FREE LIQUIDS.



PROTECTING PEOPLE, PROPERTY AND THE PLANET.



Eagle Manufacturing Company